

Vascular Plant List
Penix Canyon

Penix Canyon, Lincoln County, WA. List covers plants found in Penix Canyon, north of Wilber, along a six-mile stretch of road uphill from Jones Bay Campground. List by Wayne Weber, June 2006. 107 spp.

These lists represent the work of different WNPS members over the years. Their accuracy has not been verified by the Washington Native Plant Society. We offer these lists to individuals as a tool to enhance the enjoyment and study of native plants.

* - Introduced

| <u>Scientific Name</u> | <u>Common Name</u> | <u>Family Name</u> |
|-----------------------------|-------------------------|--------------------|
| Acer glabrum | Douglas maple | Aceraceae |
| Acer negundo* | Box elder | Aceraceae |
| Achillea millefolium | Yarrow | Asteraceae |
| Agastache urticifolia | Nettle-leaf horse-mint | Lamiaceae |
| Agropyron cristatum* | Crested wheat-grass | Poaceae |
| Agropyron spicatum | Blue-bunch wheatgrass | Poaceae |
| Amelanchier alnifolia | Serviceberry | Rosaceae |
| Amsinckia menziesii | Menzies' fiddleneck | Boraginaceae |
| Antennaria umbrinella | Umber pussy-toes | Asteraceae |
| Apocynum androsaemifolium | Spreading dogbane | Apocynaceae |
| Arenaria sp. | Sandwort | Caryophyllaceae |
| Arnica cordifolia | Heart-leaf arnica | Asteraceae |
| Arnica sororia | Twin arnica | Asteraceae |
| Artemisia sp. | Wormwood | Asteraceae |
| Asclepias speciosa | Showy milkweed | Asclepiadaceae |
| Astragalus sp. | Milk-vetch | Fabaceae |
| Balsamorhiza sagittata | Arrow-leaf balsamroot | Asteraceae |
| Berberis aquifolium | Tall Oregongrape | Berberidaceae |
| Betula occidentalis | Water birch | Betulaceae |
| Bromus tectorum* | Cheat grass | Poaceae |
| Calamagrostis rubescens | Pinegrass | Poaceae |
| Camelina microcarpa* | Hairy false-flax | Brassicaceae |
| Capsella bursa-pastoris* | Shepherd's purse | Brassicaceae |
| Cardamine sp. | Bittercress | Brassicaceae |
| Carex sp. | Sedge | Cyperaceae |
| Centaurea maculosa* | Spotted knapweed | Asteraceae |
| Chaenactis douglasii | Dusty maidens | Asteraceae |
| Chrysothamnus nauseosus | Gray rabbit-brush | Asteraceae |
| Chrysothamnus viscidiflorus | Green rabbit-brush | Asteraceae |
| Cirsium arvense* | Canada thistle | Asteraceae |
| Clarkia pulchella | Ragged Robin | Onagraceae |
| Clematis ligusticifolia | Virgin's bower | Ranunculaceae |
| Collomia grandiflora | Large-flowered collomia | Polemoniaceae |
| Collomia linearis | Narrow-leaf collomia | Polemoniaceae |

| | | |
|------------------------------------|----------------------------|------------------|
| <i>Convolvulus arvensis</i> * | Field morning-glory | Convolvulaceae |
| <i>Cornus stolonifera</i> | Red-osier dogwood | Cornaceae |
| <i>Crataegus douglasii</i> | Black hawthorn | Rosaceae |
| <i>Crepis atrabarba</i> | Slender hawksbeard | Asteraceae |
| <i>Elymus cinereus</i> | Giant rye grass | Poaceae |
| <i>Epilobium angustifolium</i> | Fireweed | Onagraceae |
| <i>Epilobium watsonii</i> | Watson's willow-herb | Onagraceae |
| <i>Equisetum arvense</i> | Common horsetail | Equisetaceae |
| <i>Equisetum</i> sp. | Horsetail | Equisetaceae |
| <i>Erigeron</i> sp. | Fleabane | Asteraceae |
| <i>Eriogonum heracleoides</i> | Parsnip-flowered buckwheat | Polygonaceae |
| <i>Eriogonum</i> sp. | Buckwheat | Polygonaceae |
| <i>Eriophyllum lanatum</i> | Oregon sunshine | Asteraceae |
| <i>Erodium cicutarium</i> * | Filaree | Geraniaceae |
| <i>Gaillardia aristata</i> | Common blanket-flower | Asteraceae |
| <i>Galium aparine</i> | Cleavers | Rubiaceae |
| <i>Geranium viscosissimum</i> | Sticky geranium | Geraniaceae |
| <i>Heuchera cylindrica</i> | Lava alumroot | Saxifragaceae |
| <i>Holodiscus discolor</i> | Ocean spray | Rosaceae |
| <i>Hordeum jubatum</i> | Foxtail barley | Poaceae |
| <i>Hypericum perforatum</i> * | Klamath weed | Hypericaceae |
| <i>Lactuca serriola</i> * | Prickly lettuce | Asteraceae |
| <i>Lemna minor</i> | Common duckweed | Lemnaceae |
| <i>Lepidium</i> sp. | Pepperweed | Brassicaceae |
| <i>Linaria dalmatica</i> * | Dalmatian toad-flax | Scrophulariaceae |
| <i>Lithospermum ruderale</i> | Columbia puccoon | Boraginaceae |
| <i>Lomatium dissectum</i> | Fern-leaf biscuit-root | Apiaceae |
| <i>Lomatium triternatum</i> | Nine-leaf lomatium | Apiaceae |
| <i>Lupinus</i> sp. | Lupine | Fabaceae |
| <i>Matricaria matricarioides</i> * | Pineapple weed | Asteraceae |
| <i>Melissa officinalis</i> * | Lemon balm | Lamiaceae |
| <i>Mimulus guttatus</i> | Common monkey-flower | Scrophulariaceae |
| <i>Montia perfoliata</i> | Miner's lettuce | Portulacaceae |
| <i>Penstemon confertus</i> | Yellow penstemon | Scrophulariaceae |
| <i>Phacelia hastata</i> | White-leaf phacelia | Hydrophyllaceae |
| <i>Phacelia linearis</i> | Thread-leaf phacelia | Hydrophyllaceae |
| <i>Philadelphus lewisii</i> | Mock-orange | Hydrangeaceae |
| <i>Phlox longifolia</i> | Long-leaf phlox | Polemoniaceae |
| <i>Pinus ponderosa</i> | Ponderosa pine | Pinaceae |
| <i>Plantago patagonica</i> | Candleweed | Plantaginaceae |
| <i>Polygonum aviculare</i> * | Doorweed | Polygonaceae |
| <i>Polygonum persicaria</i> * | Heartweed | Polygonaceae |
| <i>Populus tremuloides</i> | Quaking aspen | Salicaceae |
| <i>Populus trichocarpa</i> | Black cottonwood | Salicaceae |
| <i>Potentilla</i> sp. | Cinquefoil | Rosaceae |
| <i>Prunus virginiana</i> | Chokecherry | Rosaceae |

| | | |
|--------------------------------|----------------------|------------------|
| <i>Pseudotsuga menziesii</i> | Douglas fir | Pinaceae |
| <i>Purshia tridentata</i> | Bitterbrush | Rosaceae |
| <i>Rhus radicans</i> | Poison ivy | Anacardiaceae |
| <i>Ribes aureum</i> | Golden currant | Grossulariaceae |
| <i>Ribes cereum</i> | Wax currant | Grossulariaceae |
| <i>Rosa woodsii</i> | Wood's rose | Rosaceae |
| <i>Rubus parviflorus</i> | Thimbleberry | Rosaceae |
| <i>Rumex acetosella</i> * | Sheep sorrel | Polygonaceae |
| <i>Rumex crispus</i> * | Sour dock | Polygonaceae |
| <i>Salix</i> sp. | Willow | Salicaceae |
| <i>Salsola kali</i> * | Russian thistle | Chenopodiaceae |
| <i>Sambucus cerulea</i> | Blue elderberry | Caprifoliaceae |
| <i>Silene</i> sp. | Catchfly | Caryophyllaceae |
| <i>Sisymbrium altissimum</i> * | Jim Hill mustard | Brassicaceae |
| <i>Sisymbrium loeselii</i> * | Loesel tumbledustard | Brassicaceae |
| <i>Solidago canadensis</i> | Meadow goldenrod | Asteraceae |
| <i>Spiraea betulifolia</i> | Birch-leaved spirea | Rosaceae |
| <i>Symphoricarpos albus</i> | Common snowberry | Caprifoliaceae |
| <i>Taraxacum officinale</i> * | Common dandelion | Asteraceae |
| <i>Tragopogon dubius</i> * | Oysterplant | Asteraceae |
| <i>Trifolium dubium</i> * | Least hop clover | Fabaceae |
| <i>Typha latifolia</i> | Common cattail | Typhaceae |
| <i>Urtica dioica</i> | Stinging nettle | Urticaceae |
| <i>Verbascum thapsus</i> * | Common mullein | Scrophulariaceae |
| <i>Veronica americana</i> | American brooklime | Scrophulariaceae |
| <i>Vicia cracca</i> * | Cow vetch | Fabaceae |
| <i>Zigadenus venenosus</i> | Meadow death-camas | Liliaceae |