

Vascular Plant List
Peony Meadows

Peony Meadows, Yakima County, WA. List covers plants found in the Peony Meadows section of Cow Canyon, a branch of Wenas Creek reached from Wenas Road via Malloy Road. List by Jim Duemmel, May 28, 2006. 103 spp.

These lists represent the work of different WNPS members over the years. Their accuracy has not been verified by the Washington Native Plant Society. We offer these lists to individuals as a tool to enhance the enjoyment and study of native plants.

* - Introduced

| <u>Scientific Name</u> | <u>Common Name</u> | <u>Family Name</u> |
|--------------------------|----------------------------|--------------------|
| Acer glabrum | Douglas maple | Aceraceae |
| Achillea millefolium | Yarrow | Asteraceae |
| Agastache occidentalis | Western horse-mint | Lamiaceae |
| Agoseris heterophylla | Annual agoseris | Asteraceae |
| Allium acuminatum | Taper-tip onion | Liliaceae |
| Amelanchier alnifolia | Serviceberry | Rosaceae |
| Amsinckia sp. | Fiddleneck | Boraginaceae |
| Antennaria dimorpha | Low pussy-toes | Asteraceae |
| Antennaria microphylla | Rosy pussy-toes | Asteraceae |
| Arenaria capillaris | Thread-leaved sandwort | Caryophyllaceae |
| Arnica cordifolia | Heart-leaf arnica | Asteraceae |
| Arnica sororia | Twin arnica | Asteraceae |
| Artemisia rigida | Stiff sagebrush | Asteraceae |
| Artemisia tridentata | Big sagebrush | Asteraceae |
| Astragalus reventiformis | Yakima milk-vetch | Fabaceae |
| Balsamorhiza careyana | Carey's balsamroot | Asteraceae |
| Balsamorhiza hookeri | Hooker's balsamroot | Asteraceae |
| Berberis aquifolium | Tall Oregongrape | Berberidaceae |
| Brodiaea douglasii | Douglas' brodiaea | Liliaceae |
| Bromus tectorum* | Cheat grass | Poaceae |
| Camassia quamash | Common camas | Liliaceae |
| Castilleja hispida | Harsh paintbrush | Scrophulariaceae |
| Castilleja thompsonii | Thompson's paintbrush | Scrophulariaceae |
| Ceanothus velutinus | Snowbrush | Rhamnaceae |
| Chaenactis douglasii | Dusty maidens | Asteraceae |
| Chorispora tenella* | Blue mustard | Brassicaceae |
| Chrysothamnus nauseosus | Gray rabbit-brush | Asteraceae |
| | Small-flowered blue-eyed | |
| Collinsia parviflora | Mary | Scrophulariaceae |
| Crataegus douglasii | Black hawthorn | Rosaceae |
| Crepis barbiger | Bearded hawksbeard | Asteraceae |
| Cystopteris fragilis | Fragile fern | Polypodiaceae |
| Delphinium nuttallianum | Upland larkspur | Ranunculaceae |
| Dodecatheon cusickii | Cusick's shooting star | Primulaceae |
| Epilobium minutum | Small-flowered willow-herb | Onagraceae |

| | | |
|-----------------------------------|-----------------------------|------------------|
| <i>Erigeron filifolius</i> | Thread-leaf fleabane | Asteraceae |
| <i>Erigeron linearis</i> | Desert yellow daisy | Asteraceae |
| <i>Erigeron poliospermus</i> | Cushion fleabane | Asteraceae |
| <i>Eriogonum compositum</i> | Northern buckwheat | Polygonaceae |
| <i>Eriogonum douglasii</i> | Douglas' buckwheat | Polygonaceae |
| <i>Eriogonum elatum</i> | Tall buckwheat | Polygonaceae |
| <i>Eriogonum heracleoides</i> | Parsnip-flowered buckwheat | Polygonaceae |
| <i>Eriogonum strictum</i> | Strict buckwheat | Polygonaceae |
| <i>Eriogonum thymoides</i> | Thyme-leaf buckwheat | Polygonaceae |
| <i>Eriophyllum lanatum</i> | Oregon sunshine | Asteraceae |
| <i>Floerkea proserpinacoides</i> | False mermaid | Limnanthaceae |
| <i>Fritillaria pudica</i> | Yellow bell | Liliaceae |
| <i>Galium aparine</i> | Cleavers | Rubiaceae |
| <i>Galium triflorum</i> | Fragrant bedstraw | Rubiaceae |
| <i>Haplopappus lanuginosus</i> | Woolly goldenweed | Asteraceae |
| <i>Haplopappus stenophyllus</i> | Narrow-leaf goldenweed | Asteraceae |
| <i>Holodiscus discolor</i> | Ocean spray | Rosaceae |
| <i>Hydrophyllum capitatum</i> | Woolly breeches | Hydrophyllaceae |
| <i>Idahoia scapigera</i> | Scalegod | Brassicaceae |
| <i>Iris missouriensis</i> | Western blue flag | Iridaceae |
| <i>Lathyrus pauciflorus</i> | Few-flowered peavine | Fabaceae |
| <i>Lewisia rediviva</i> | Bitterroot | Portulacaceae |
| <i>Linaria dalmatica*</i> | Dalmatian toad-flax | Scrophulariaceae |
| <i>Lithophragma parviflorum</i> | Small-flowered prairie-star | Saxifragaceae |
| <i>Lithospermum ruderales</i> | Columbia puccoon | Boraginaceae |
| <i>Lomatium dissectum</i> | Fern-leaf biscuit-root | Apiaceae |
| <i>Lomatium macrocarpum</i> | Large-fruited lomatium | Apiaceae |
| <i>Lomatium nudicaule</i> | Pestle parsnip | Apiaceae |
| <i>Lomatium triternatum</i> | Nine-leaf lomatium | Apiaceae |
| <i>Lupinus laxiflorus</i> | Spurred lupine | Fabaceae |
| <i>Madia gracilis</i> | Common tarweed | Asteraceae |
| <i>Mimulus guttatus</i> | Common monkey-flower | Scrophulariaceae |
| <i>Montia chamissoi</i> | Water montia | Portulacaceae |
| <i>Montia linearis</i> | Narrow-leaf montia | Portulacaceae |
| <i>Montia perfoliata</i> | Miner's lettuce | Portulacaceae |
| <i>Nemophila breviflora</i> | Great Basin nemophila | Hydrophyllaceae |
| <i>Paeonia brownii</i> | Wild peony | Paeoniaceae |
| <i>Penstemon attenuatus</i> | Sulfur penstemon | Scrophulariaceae |
| <i>Penstemon gairdneri</i> | Gairdner's penstemon | Scrophulariaceae |
| <i>Phacelia hastata</i> | White-leaf phacelia | Hydrophyllaceae |
| <i>Phacelia linearis</i> | Thread-leaf phacelia | Hydrophyllaceae |
| <i>Philadelphus lewisii</i> | Mock-orange | Hydrangeaceae |
| <i>Phlox speciosa</i> | Showy phlox | Polemoniaceae |
| <i>Phoeniculis cheiranthoides</i> | Daggerpod | Brassicaceae |
| <i>Pinus ponderosa</i> | Ponderosa pine | Pinaceae |
| <i>Poa bulbosa*</i> | Bulbous bluegrass | Poaceae |

| | | |
|---------------------------|----------------------|-----------------|
| Populus trichocarpa | Black cottonwood | Salicaceae |
| Potentilla glandulosa | Sticky cinquefoil | Rosaceae |
| Pseudotsuga menziesii | Douglas fir | Pinaceae |
| Pterospora andromedea | Pinedrops | Ericaceae |
| Ranunculus uncinatus | Little buttercup | Ranunculaceae |
| Ribes cereum | Wax currant | Grossulariaceae |
| Rosa woodsii | Wood's rose | Rosaceae |
| Sambucus sp. | Elderberry | Caprifoliaceae |
| Saxifraga integrifolia | Grassland saxifrage | Saxifragaceae |
| Senecio integerrimus | Western groundsel | Asteraceae |
| Sisymbrium altissimum* | Jim Hill mustard | Brassicaceae |
| Sitanion hystrix | Squirreltail | Poaceae |
| Stellaria jamesiana | Sticky starwort | Caryophyllaceae |
| Symphoricarpos albus | Common snowberry | Caprifoliaceae |
| Symphoricarpos oreophilus | Mountain snowberry | Caprifoliaceae |
| Taraxacum officinale* | Common dandelion | Asteraceae |
| Tragopogon sp*. | Salsify | Asteraceae |
| Trifolium macrocephalum | Big-headed clover | Fabaceae |
| Vicia americana | American vetch | Fabaceae |
| Viola trinervata | Sagebrush violet | Violaceae |
| Wyethia amplexicaulis | Northern mule's ears | Asteraceae |
| Zigadenus paniculatus | Panicled death-camas | Liliaceae |
| Zigadenus venenosus | Meadow death-camas | Liliaceae |